

Safety data sheet

as per regulation 1907/2006/EC (REACH) as amended and supplemented

Printing date 23.05.2019

Version number 105

Revision: 23.05.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
 - Product code HBT603
 - Trade name: **WB SEALER WHITE**
- **1.2. Relevant identified uses of the substance or mixture and uses advised against**

A coating composition for water-based coating and / or decoration of wooden artefacts

 - Application of the substance / the mixture For professional use
- **1.3 Details of the supplier of the safety data sheet**
 - Manufacturer/Supplier:
IVM Chemicals srl
Viale della Stazione 3 - 27020 Parona (PV) Italy tel +39 038425441
 - Further information obtainable from:
Environmental Health and safety office
hseoffice@ivmchemicals.com
- **1.4 Emergency telephone number:**

From 8.30 to 17.30 0039 038 425 441

Out of the above mentioned hours, Saturdays and Sundays and during periods of closure for holidays please call: 0039 0384 254491



SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
 - Classification according to Regulation (EC) No 1272/2008
The product is not classified, according to the CLP regulation.
- **2.2 Label elements**
 - Labelling according to Regulation (EC) No 1272/2008 Void
 - Hazard pictograms Void
 - Signal word Void
 - Hazard statements Void
 - Additional information:
EUH208 Contains 1,2-benzisothiazol-3(2H)-one, a mixture of: 5-chloro-2-methyl-2 H -isothiazol-3-one [EC No 247-500-7] and 2-methyl-2 H -isothiazol-3-one [EC No 220-239-6] (3:1).
May produce an allergic reaction.
EUH210 Safety data sheet available on request.
- **2.3 Other hazards**
 - Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
 - Description: Mixture: consisting of the following components.

· **Dangerous components:**

CAS: 107-98-2 EINECS: 203-539-1 Reg.nr.: 01-2119457435-35-XXXX	1-methoxy-2-propanol  Flam. Liq. 3, H226  STOT SE 3, H336	1-2.49%
CAS: 34590-94-8 EINECS: 252-104-2 Reg.nr.: 01-2119450011-60-XXXX	Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit	1-<5%

(Contd. on page 2)

Safety data sheet

as per regulation 1907/2006/EC (REACH) as amended and supplemented

Printing date 23.05.2019

Version number 105

Revision: 23.05.2019

Product code HBT603
Trade name: WB SEALER WHITE

(Contd. of page 1)

· *Additional information:* For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· *General information:*

No special measures required.

personal protective equipment for first aid responders is recommended. (please see section 8)

· *After inhalation:* Supply fresh air; consult doctor in case of complaints.

· *After skin contact:* Generally the product does not irritate the skin.

· *After eye contact:* Rinse opened eye for several minutes under running water.

· *After swallowing:* If symptoms persist consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed**

For symptoms and effects caused by substances, see chap. 11th

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· *Suitable extinguishing agents:* Use fire extinguishing methods suitable to surrounding conditions.

· **5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

No further relevant information available.

· **5.3 Advice for firefighters**

Cool by spraying with water the containers to prevent product decomposition and the development of substances potentially hazardous for health and also, in the case of closed containers exposed to flames to prevent explosions.

· *Protective equipment:* No special measures required.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures** See section 7.

· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· **6.4 Reference to other sections**

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling** No special measures required.

· *Information about fire - and explosion protection:* No special measures required.

(Contd. on page 3)

Safety data sheet

as per regulation 1907/2006/EC (REACH) as amended and supplemented

Printing date 23.05.2019

Version number 105

Revision: 23.05.2019

Product code HBT603
Trade name: WB SEALER WHITE

(Contd. of page 2)

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Observe the label precautions, the expiration date for the use, if indicated, is from delivery date.

In cases there is no reported deadline, it means that the product must be used within 8 months.

Take on temperature greater than 5 ° C

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions: None.

· 7.3 Specific end use(s)

Those typical of the product and the instructions in the data sheet if required.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

107-98-2 1-methoxy-2-propanol

WEL	Short-term value: 560 mg/m , 150 ppm
	Long-term value: 375 mg/m , 100 ppm
	Sk

34590-94-8 Dipropylene glycol monomethyl ether

WEL	Long-term value: 308 mg/m , 50 ppm
	Sk

· DNELs

107-98-2 1-methoxy-2-propanol

Inhalative	DNEL acuto/agudo/ostre/aigu/acute/akut	553.5 mg/mc (Workers)
	DNEL	369 mg/mc (Workers)
Irritation of skin	DNEL	50.6 mg/kg bw/d (Workers)

34590-94-8 Dipropylene glycol monomethyl ether

Inhalative	DNEL	310 mg/mc (Workers)
Irritation of skin	DNEL	65 mg/kg bw/d (Workers)

· PNECs

107-98-2 1-methoxy-2-propanol

PNEC Acqua dolce/water/woda słodka/eau/agua/水	10 mg/L ()
PNEC Suolo/earth/suelo/ /地面	2.47 mg/kg ()

34590-94-8 Dipropylene glycol monomethyl ether

PNEC Acqua dolce/water/woda słodka/eau/agua/水	19 mg/L ()
PNEC Suolo/earth/suelo/ /地面	2.74 mg/kg ()

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

· Respiratory protection: Not required.

(Contd. on page 4)

Safety data sheet

as per regulation 1907/2006/EC (REACH) as amended and
supplemented

Printing date 23.05.2019

Version number 105

Revision: 23.05.2019

Product code HBT603
Trade name: WB SEALER WHITE

(Contd. of page 3)

- **Protection of hands:**
 The glove material has to be impermeable and resistant to the product and in accordance with EN 374 and Directive 89/686/EEC.
 Due to missing tests no recommendation to the glove material can be given for the product.
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
 The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
 The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

· Form:

Fluid

· Colour:

According to product specification

· Odour:

Characteristic

· Odour threshold:

Not determined.

· pH-value:

Not determined.

· Change in condition

· Melting point/freezing point:

Undetermined.

· Initial boiling point and boiling range:

100 °C

· Flash point:

Not applicable.

· Flammability (solid, gas):

Not applicable.

· Ignition temperature:

270 °C

· Decomposition temperature:

Not determined.

· Auto-ignition temperature:

Product is not selfigniting.

· Explosive properties:

Product does not present an explosion hazard.

· Explosion limits:

· Lower:

1.1 Vol %

· Upper:

~20 Vol %

· Vapour pressure at 20 °C:

12 hPa

· Density at 20 °C:

1.131 g/cm

· Relative density

Not determined.

· Vapour density

Not determined.

· Evaporation rate

Not determined.

· Solubility in / Miscibility with

· water:

Not miscible or difficult to mix.

(Contd. on page 5)

Safety data sheet

as per regulation 1907/2006/EC (REACH) as amended and supplemented

Printing date 23.05.2019

Version number 105

Revision: 23.05.2019

Product code HBT603
Trade name: WB SEALER WHITE

(Contd. of page 4)

· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic at 20 °C:	60 s (ISO 6 mm)
· Oxidising properties :	N.A.
· Solvent content:	
· VOC and Total VOC (organic solvents + reactive solvents if any)	5.58 %
· Water:	47.7 %
· VOC (EC)	63.1 g/l
· Solids content:	46.7 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** Typical of the product as indicated in the data sheet
- **10.2 Chemical stability**
The product is stable in normal conditions of storage and use recommended
 - **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
 - **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:		
107-98-2 1-methoxy-2-propanol		
Oral	LD50	4,016 mg/kg (mouse)
Dermal	LD50	5,001 mg/kg (rabbit)
Inhalative	LC50/4 h	5,001 mg/l (mouse)
34590-94-8 Dipropylene glycol monomethyl ether		
Oral	LD50	5,135 mg/kg (mouse)
Dermal	LD50	19,020 mg/kg (rabbit)

- **Primary irritant effect:**
 - **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
 - **Serious eye damage/irritation**
Based on available data, the classification criteria are not met.
 - **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
 - **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
 - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
 - **Carcinogenicity** Based on available data, the classification criteria are not met.
 - **Reproductive toxicity** Based on available data, the classification criteria are not met.
 - **STOT-single exposure** Based on available data, the classification criteria are not met.

(Contd. on page 6)

Safety data sheet

as per regulation 1907/2006/EC (REACH) as amended and supplemented

Printing date 23.05.2019

Version number 105

Revision: 23.05.2019

Product code HBT603
Trade name: WB SEALER WHITE

(Contd. of page 5)

- *STOT-repeated exposure* Based on available data, the classification criteria are not met.
- *Aspiration hazard* Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· *Aquatic toxicity:*

107-98-2 1-methoxy-2-propanol

EC50 21,100 mg/l (daphnia) (48 h)

LC50 (96h) 6,812 mg/l (Fish)

34590-94-8 Dipropylene glycol monomethyl ether

EC50 970 mg/l (algae) (72 h)

1,919 mg/l (daphnia) (48 h)

LC50 (96h) 1,001 mg/l (Fish)

· 12.2 Persistence and degradability No further relevant information available.

· *Substances Easily biodegradable*

107-98-2 1-methoxy-2-propanol .

34590-94-8 Dipropylene glycol monomethyl ether .

· 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

· *Additional ecological information:*

· *General notes:*

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

· *PBT:* Not applicable.· *vPvB:* Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· *Recommendation*

Hand over to hazardous waste disposers.

The code number of the product as it is: 080112

· *Uncleaned packaging:*

· *Recommendation:* Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number

· *ADR, ADN, IMDG, IATA*

Not classified

· 14.2 UN proper shipping name

· *ADR, ADN, IMDG, IATA*

Not classified

(Contd. on page 7)

Safety data sheet

as per regulation 1907/2006/EC (REACH) as amended and supplemented

Printing date 23.05.2019

Version number 105

Revision: 23.05.2019

Product code HBT603
Trade name: WB SEALER WHITE

(Contd. of page 6)

- | | |
|---|-----------------|
| <ul style="list-style-type: none"> · 14.3 Transport hazard class(es) <li style="padding-left: 20px;">· ADR, ADN, IMDG, IATA <li style="padding-left: 40px;">· Class | Not classified |
| <ul style="list-style-type: none"> · 14.4 Packing group <li style="padding-left: 20px;">· ADR, IMDG, IATA | Not classified |
| <ul style="list-style-type: none"> · 14.5 Environmental hazards: <li style="padding-left: 20px;">· Marine pollutant: | No |
| <ul style="list-style-type: none"> · 14.6 Special precautions for user | Not applicable. |
| <ul style="list-style-type: none"> · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| <ul style="list-style-type: none"> · UN "Model Regulation": | Not classified |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 Directive n. : 80/1107/CEE, n. 82/605/CEE, n. 83/477/CEE, n. 86/188/CEE e n. 88/642/CEE, 89/391/CEE, 89/654/CEE, 89/655/CEE, 89/656/CEE, 90/269/CEE, 90/270/CEE, 90/394/CEE, 90/679/CEE, 93/88/CEE, 95/63/CE, 97/42/CE, 98/24/CE, 99/38/CE, 99/92/CE, 2001/45/CE, 2002/44,2003/10/CE, 2003/18/CE , 2004/40/CE,2006/25
 - **Various regulations**
 Dir 2004/42/EC - EU limit value for this product (Cat A / d): 130 g / l - This product contains a maximum of 70 g / l VOC - trim and cladding paints for interiors / exteriors for wood metal or plastic. For professional use only
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
 H226 Flammable liquid and vapour.
 H336 May cause drowsiness or dizziness.
- **Department issuing SDS:** IVM Chemicals Srl
- **Contact:** Claudia Zanella
- **Abbreviations and acronyms:**
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 DNEL: Derived No-Effect Level (REACH)
 PNEC: Predicted No-Effect Concentration (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative

(Contd. on page 8)

Safety data sheet
as per regulation 1907/2006/EC (REACH) as amended and
supplemented

Printing date 23.05.2019

Version number 105

Revision: 23.05.2019

Product code HBT603
Trade name: WB SEALER WHITE

(Contd. of page 7)

Flam. Liq. 3: Flammable liquids . Category 3

STOT SE 3: Specific target organ toxicity (single exposure) . Category 3

· **Sources**

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL and following amendments

Agency ECHA web site

INRS Fiche Toxicologique

- * **Data compared to the previous version altered.**

GB